



exotile

300x450 MM



GLOSSY || **300x450 MM**
DIGITAL WALL TILES



exotile

DEFINING NEW

Creativity

FOR FOREVER SPACE.

When creativity seems to beckon, how can you indulge in idle pleasures? come closer to the world of digital wall tiles. we design to synchronise the functioning and vibrancy of your home, pepping up your walls to be visually welcoming.

Surface

OF TRUE FEELINGS

our diverse range of tiles are so lucid and encompassing that you could never stop loving your wall. Their lovingly smooth textures and tender soothing colours, transform your home into a cocoon of comfort. Live more happily surrounded by beautiful, luxurious satiny tiles.



1118-LT



1118-HL-1



1118-HL-2



1118-DK



300x450 mm
WALL TILES





1127-LT



1127-HL-1A



1127-HL-1B



1127-DK



300x450 mm
WALL TILES




1127-LT




1127-HL-2A



1127-HL-2A



1127-DK




300x450 mm
WALL TILES







1161-LT



1161-HL-1



1161-HL-2



1161-DK

300x450 mm
WALL TILES





1201-LT



1201-HL-1



1201-HL-2





1201-DK

300x450 mm

WALL TILES



exotile



1201-LT



1201-HL-3



1201-HL-4



1201-DK

300x450 mm

WALL TILES





1201-LT



1201-HL-5



1201-HL-6



1201-DK

300x450 mm
WALL TILES






1245-LT



1245-HL-1



1245-HL-2



1245-DK

300x450 mm
WALL TILES





1431-LT



1431-HL-1




1431-HL-2



1431-DK

300x450 mm
WALL TILES








1431-LT



1433-HL-1





1433-HL-2




1433-DK



300x450 mm
WALL TILES



1431-LT



1435-HL-1



1435-HL-2




1435-DK

300x450 mm
WALL TILES






1431-LT



1439-HL-1




1439-HL-2



1439-DK

300x450 mm
WALL TILES







1431-LT



1440-HL-1



1440-HL-2



1440-DK



300x450 mm

WALL TILES





1444-LT



1444-HL-1



1444-HL-2




1444-DK



300x450 mm

WALL TILES





1431-LT



1458-HL-1




1458-HL-2



1458-DK



300x450 mm
WALL TILES





1431-LT




1459-HL-1



1459-HL-2



1459-DK



300x450 mm

WALL TILES



1431-LT



1474-HL-1



1474-HL-2



1474-HL-3




1474-DK



300x450 mm
WALL TILES



1488-DK




1488-HL-1



1488-HL-2



1488-DK



300x450 mm

WALL TILES



1497-LT




1497-HL-1




1497-HL-2



1497-DK




300x450 mm
WALL TILES



1431-LT



1498-HL-1




1498-HL-2



1498-DK



300x450 mm
WALL TILES



1431-LT



1499-HL-1




1499-HL-2



1499-DK

300x450 mm
WALL TILES







1431-LT



1500-HL-1A



1500-HL-1B



1500-DK



300x450 mm

WALL TILES





1431-LT



1500-HL-2A



1500-HL-2B



1500-DK




300x450 mm

WALL TILES




1585-LT



1585-HL-1




1585-HL-2



1585-DK




300x450 mm
WALL TILES



SP_1




SP_2




SP_3



SP_4



SP_5




SP_6




SP_7



SP_8



SP_9



SP_10

TECHNICAL SPECIFICATION

Characteristics	Euro Standards EN-159/IS 13753	EXO Value
DIMENSION & SURFACE QUALITY		
1) Dimension	± 0.5%	± 0.2%
2) Deviation in Thickness	± 0.6mm	± 0.2mm
3) Straightness of sides	± 0.3%	± 0.2%
4) Rectangularity	± 0.5%	± 0.3%
5) Surface Flatness	± 0.5%	± 0.3%
6) Surface Quality	Min 95%	Min 96%
PHYSICAL PROPERTIES		
1) Water Absorption	>10%	14-17%
2) Bending Strength	>150 kg/Cm ²	200 - 250 Kg/Cm ²
3) Scratch hardness(Mohs)	Min 3	Min 3
4) Craziing	1 Cycle	No Craziing at 5 Cycle
CHEMICAL PROPERTIES		
1) Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemical, except Hydro Flouric Acid
2) Household Chemical	Min Class B	
THERMALAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycle	CONFORMS
2) Thermal Expansion	Max-9E-06	CONFORMS


PACKING DETAILS

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
600x300 mm	9 mm	5 pcs.	0.9 sq.m.	14.0 kgs.
450x300 mm	8 mm	6 pcs.	0.81 sq.m.	12.0 kgs.
300x300 mm	8 mm	9 pcs.	0.81 sq.m.	11.0 kgs.


APPLICATION



OUR SURFACE



exotile



EXOTILE LLP

Survey No. 1291, Nr. Aniyari Chowkdi, NH-7, Halvad - Maliya Road, Tal.: Maliya - 363 630, Dist.: Morbi - Gujarat, INDIA.

+91 91183 12345 | info@exotile.in | www.exotile.in

FOLLOW US

